

WWW.AMICSS.COM

2025/2026
SNOWBOARD
CATALOG

AMICSS FACTORY TUNE

選択可能内容 TUNE UP MENU

- ・エッジの角度 / Edge angles ベース / BASE 0° 0.3° 0.5° 0.75° 1° 1.5° 2° (手仕上げ / By hand)
 サイド / SIDE 90° 89° 88° 87° (セラミック仕上げ / Ceramic disc finish)

・ソール面の仕上げ / Sole base finish ストラクチャー / STRUCTURE (CROSS, TREE, WAVE)
 サンディング / SANDING

種類 / Kinds of structure

CROSS



TREE



WAVE



特徴 / Feature

基本のストラクチャー。
初めてストラクチャーを入れる方へは、オールラウンドと言えるこちらがお勧め。
Basic structure
For those who structuring for the first time, this allround type is recommended

滑走方向は一方向に限られるが、スピードに対しては非常に安定しています。
The direction of gliding is limited to one direction, but it is very stable in high speed ride.

TREE に対して、操作性を向上させたパターン。
流れるような滑らかなターン導入を可能としている。
The structure with improved controllability than the tree structure.
It enables the introduction of a smooth turn freely.

AMICSS TECHNOLOGY

F-TEX SHEET

F-TEX シートは、P-TEX と同様のシンタード素材でありながら、滑走には使用出来ないトップシート専用素材です。より軽く、よりしなやかをテーマに開発しました。従来よりも、ボードのターン初期の撓む動きがスムーズになり、ターンのタイミングを逃しにくくなりました。それによりボードが更に撓ませやすく、ターンからターンへの加速、ターン速度の向上を実現しました。

F-TEX sheet is a sintered material similar to P-TEX, but it is a top sheet exclusive material that cannot be used for gliding. Developed with the theme of being lighter and more flexible. The flex of the board at the beginning of the turn is smoother than before, making it harder to miss the timing of the turn. This allows the board to flex more easily, allowing for faster turn-to-turn acceleration and improved turn speed.

F-TEX 搭載モデル / F-TEX equipped model WORLD CUP-FM, WORLD CUP, RCV, AGGRESSOR, DNA ti

Damping Force Geometric

DFG (Damping Force Geometric) とは、滑走時に発生する振動に対し振動速度に比例して振動を抑制するための機構です。ラバー、制振の高いトップシートの効果を最大限発揮するために計算された減衰力を、自由振動の減衰、共振の抑制、雪からのショックを吸収し、快適な乗り心地と操作性能を機種ごとに設計しました。AMICSS Factory Team がワールドカップ、オリンピック、各国の競技会で勝利を求めるために開発した技術を、爽快なフリーライディングでも体感して頂けます。

DFG (Damping Force Geometric) is a mechanism that suppresses vibrations generated during gliding in proportion to the vibration speed. The damping force calculated to maximize the effectiveness of the rubber, highly vibration-damping top sheet eliminates free vibration, suppresses resonance, and absorbs shock from snow, providing a comfortable ride and operating performance. And designed for each model. You can also experience the exhilarating freeriding technology developed by AMICSS Factory Team to win the World Cup, Olympics, and competitions around the world.


DFG 搭載モデル / DFG equipped model DMT, RCJ, AFX, DFX, XFIT

F-TEX, a new material that increases explosive power.
A new shape that allows you to run through the desired glide line. Completely new designed core that increases instantaneous power while maintaining operational performance.
Presented by AMICSS Factory Racing Team and Development team to athletes who pursue victory. The answer to winning that Factory Team came up with is the Worldcup-Factory Model.

- A. C. S - System
- Sandwich Titanal Construction
- FM-LVL Woodcore
- F-TEX Topsheet
- ISO AMICSS 8243 Sigma Base
- Only ALLFLEX Insert



Length	1.57m	1.62m	1.65m	1.85mN	1.85m	1.90m
Tip width	256mm	255mm	255mm	238mm	250mm	248mm
Waist	192mm	198mm	198mm	185mm	198mm	198mm
Tail width	234mm	236mm	236mm	215mm	225mm	225mm
Side cut range	Secret	Secret	Secret	Secret	Secret	Secret
Insert	ALLFLEX	ALLFLEX	ALLFLEX	ALLFLEX	ALLFLEX	ALLFLEX



WORLD CUP


The World Cup series boasts high operability and stability on competition courses, and has won numerous victories.

Equipped with the new material F-TEX, which increases explosive power. Factory Team snowboards also choose the World Cup series depending on the course.

There is a high level of unity with the rider.

競技コース内で高い操作性と安定感を誇っており、数多くの勝利を手にしてきた Worldcup シリーズ。新素材 F-TEX を搭載したことにより瞬発力を高めた。Factory Team 選手もコースによって選択する Worldcup シリーズ。

ライダーとの高いレベルの一体感がそこに存在する。



FEATURES

- A. C. S - System
- Sandwich Titanal Construction
- LVL Woodcore
- F-TEX Topsheet
- ISO AMICSS 8243 Sigma Base
- Only ALLFLEX Insert

SITUATION

RACE	
CARVING	
ALL Mt.	

SKILL

Group	Count
EXPERT	18
ADVANCED	8
BEGINNER	2

Length	1.57m	1.62m	1.75m	1.85m
Tip width	256mm	265mm	242mm	253mm
Waist	192mm	200mm	192mm	200mm
Tail width	234mm	245mm	222mm	231mm
Side cut range	10.5m	11m	16m	19.5m
Insert	ALLFLEX	ALLFLEX	ALLFLEX	ALLFLEX

RCV

RCV's theme remains constant. It's a balance between operability and stability. Made with the new material F-TEX, the RCV brings out a sense of dynamism and instantaneous power, giving riders even more control and fun in a variety of situations, including freeriding and racing.

一貫して変わらない RCV のテーマ。
それは操作性と安定感のバランスです。

新素材 F-TEX を与えられ、躍動感や瞬発力を引き出された RCV は
フリーライディング、レース、様々なシーンにおいてより一層のコントロールが
出来る楽しさをライダーに与えます。

FEATURES

- A. C. S - System
- Sandwich Titanal Construction
- LVL Woodcore
- F-TEX Topsheet
- ISO AMICSS 8243 Sigma Base
- Custom Choice Insert System

SITUATION

[illegible]

SKILL

Group	Count
EXPERT	15
ADVANCED	12
BEGINNER	2

[illegible]

DMT

DMT has reached a time of evolution.

In pursuit of even greater carving performance,
we have arrived at a new structure.

Enjoy a step-up in carving performance while maintaining the same easy turn initiation and control. (without titanal)

DMT シリーズは、進化の時を迎えました。

更なるカービング性能を求め、新構造にたどり着くことが出来ました。素直なターン始動性、コントロール性はそのままに、一歩進化したカービング性能をお楽しみください。

(チタナール無しモデル)

FEATURES

- DFG - System
- Sandwich Carbon Construction
- LVL Woodcore
- Sintered Topsheet
- P-TEX 5920 Base
- Custom Choice Insert System


SITUATION

RACE	Percentage
WHITE	50%
BLACK	75%
ALL Mt.	50%

SKILL

Group	Count
EXPERT	6
ADVANCED	16
BEGINNER	8

Length	1.62m	1.65m
Tip width	265mm	255mm
Waist	200mm	198mm
Tail width	245mm	236mm
Side cut range	11m	12m
Recommended stance	500mm	500mm
Stance range	460-500mm	460-500mm
Insert	4 x 2 (8H) ALLFLEX	4 x 2 (8H) ALLFLEX



RCJ

"Wanna catch up my father!!" RCJ is for kids snowboarders.

Torsion control sheet and impact absorption rubber are equipped with just arranged flex and camber rocker shape for light weight kids. Will back up kids' challenge by two models, SL (135, 140cm) and GS (154cm).
(without titanal)

次はババに追いつきたい！を応援するキッズ専用モデルです。
軽量のキッズに合わせたフレックス、キャンバー、ロッカー形状に
振動吸収ラバーやトーションコントロールシートを搭載しています。
SL モデル 130 140、GS モデル 154 でキッズの挑戦を応援します。
(チタナール無しモデル)

FEATURES

- DFG - System
- Sandwich Rubber Construction
- BP Woodcore
- Sintered Topsheet
- P-TEX 5920 Base



SITUATION

[illegible]

SKILL

Group	Count
EXPERT	10
ADVANCED	15
BEGINNER	5

Length	1.35m	1.40m	1.54m
Tip width	238mm	238mm	236mm
Waist	180mm	180mm	180mm
Tail width	228mm	228mm	222mm
Side cut range	7m	7.5m	9.8m
Recommended stance	440mm	440mm	440mm
Stance range	400-480mm	400-480mm	400-480mm
Insert	4 x 2 (10H)	4 x 2 (10H)	4 x 2 (10H)

DNA ti

DNA ti... its development concept is "Pursuit of speed style in soft boots equal to alpine snowboard." A vibration absorption rubber and titanal are equipped with it, and provides you stable carving and maneubability while high speed riding.

DNA-titalan・・・それは、ソフトブーツでもアルペンに負けないスピード
スタイルを追い求める！をコンセプトに開発がスタートしました。振動吸収
ラバー、チタナールを搭載し、高速時においても安定したカービング、
操作性を提供いたします。
(チタナール有りモデル)

FEATURES

- A. C. S - System
- Sandwich Titanal Construction
- LVL Woodcore
- F-TEX Topsheet
- P-TEX 5920 Base

SITUATION

Category	RACE	CARVING	ALL Mt.
RACE	100%	100%	100%
CARVING	100%	100%	100%
ALL Mt.	100%	100%	100%

SKILL

Group	Beginner	Intermediate	Advanced	Expert
EXPERT	0	0	0	15
ADVANCED	0	0	10	0
BEGINNER	5	0	0	0

Length	1.52m	1.57m	1.61m	1.65m
Tip width	295mm	297mm	300mm	300mm
Waist	248mm	250mm	255mm	260mm
Tail width	281mm	282mm	287mm	289mm
Side cut range	9.7m	10.5m	12.7m	14.8m
Recommended stance	520mm	540mm	550mm	560mm
Stance range	480-560mm	500-580mm	510-590mm	520-600mm
Rider weight	45-60kg	55-75kg	55-75kg	60-95kg
Insert	4 x 2 (10H)	4 x 2 (10H)	4 x 2 (10H)	4 x 2 (10H)



AGGRESSOR

Sensibility of carving which this board can give you...

it is centrifugal force given by minutely calculated side curves.

Gravity that can be received by the dedicated tip and tail shape.

The exclusively designed tip and tail shape will receive gravity.

Carefully selected materials without compromise provide

a control performance and speed. AGGRESSOR exists for

Aggressive style that can express all of that.

このボードが貴方に与える事が出来るカービングの感性、それは…

綿密に計算されたサイドカーブが与える遠心力。

専用設計されたノーズ、テール形状が受け止める重力。

妥協なく厳選した素材が与えるコントロール性能とスピード。

全て揃って表現できるアグレッシブなスタイル、

そのために AGGRESSOR は存在します。

FEATURES

- A. C. S - System
- Sandwich Titanal Construction
- LVL Woodcore
- F-TEX Topsheet
- P-TEX 5920 Base

SITUATION



SKILL



Length	1.52m	1.57m	1.61m	1.65m
Tip width	294mm	300mm	306mm	304mm
Waist	242mm	250mm	255mm	250mm
Tail width	287mm	288mm	298mm	297mm
Side cut range	9.0m	9.6m	10.1m	11.5m
Recommended stance	520mm	540mm	550mm	560mm
Stance range	480-560mm	500-580mm	510-590mm	520-600mm
Rider weight	45-60kg	55-75kg	55-75kg	60-95kg
Insert	4 x 2 (10H)	4 x 2 (10H)	4 x 2 (10H)	4 x 2 (10H)



DFX

Speed and sometimes fun !!!

You can experience the softness and speed with the newly designed lightweight wood core and 3D X-fiber in the shape of DNA-ti with high straight-line stability. Enjoy various terrains such as morning powder, rough terrain, and a high speed riding in the nature.

Speed and sometimes fun!!!

直進安定性能の高い DNA-ti のシェイプに新設計の軽量ウッドコア、3DX-fiber でソフトながらもスピードを体感。朝一パウダーから不整地、自然の中でのスピード感覚と様々な地形をお楽しみください。

FEATURES

- DFG - System
- Sandwich 3D X-Fiber Construction
- LVL Lightweight Woodcore
- Sintered Topsheet
- P-TEX 5920 Base


SITUATION



SKILL



Length	1.52m	1.57m	1.61m
Tip width	295mm	297mm	300mm
Waist	248mm	250mm	255mm
Tail width	281mm	282mm	287mm
Side cut range	9.7m	10.5m	12.7m
Recommended stance	520mm	540mm	550mm
Stance range	480-560mm	500-580mm	510-590mm
Rider weight	45-60kg	55-75kg	55-75kg
Insert	4 x 2 (10H)	4 x 2 (10H)	4 x 2 (10H)



AFX

Carve and sometimes fun !!!

You can experience softness and sharpness with the newly designed lightweight wood core and 3D X-fiber in the shape of AGGRESSOR with high turning ability. Enjoy early morning powder, thrilling treeruns and carving.

Carve and sometimes fun!!!

旋回性能の高いAGGRESSORのシェイプに新設計の軽量ウッドコア、3D X-fiberでソフトながらも斬れを体感。朝一のパウダー、スリリングなツリーラン、そしてカービングをお楽しみください。

FEATURES

- DFG - System
- Sandwich 3D X-Fiber Construction
- LVL Lightweight Woodcore
- Sintered Topsheet
- P-TEX 5920 Base

SITUATION



SKILL



Length	1.52m	1.57m	1.61m
Tip width	295mm	297mm	306mm
Waist	242mm	250mm	255mm
Tail width	287mm	282mm	298mm
Side cut range	9.0m	9.6m	10.1m
Recommended stance	520mm	540mm	550mm
Stance range	480-560mm	500-580mm	510-590mm
Rider weight	45-60kg	50-70kg	55-75kg
Insert	4 x 2 (10H)	4 x 2 (10H)	4 x 2 (10H)

XFIT

Directional & twin board that pours the operation performance that AMICSS boasts. It embodies the basic movements of snowboarding, turning, manipulating, flying, and having fun. That is the XFIT series.

AMICSS が誇る操作性能を注ぐディレクショナル&ツインボード。
スノーボードの基本動作である曲がる、操る、飛ぶ、そして楽しむを具現化。
それが XFIT シリーズ。

FEATURES

- DFG - System
- D & T Flex Camber
- Sandwich 3D X-Fiber Construction
- 8-Bamboo Ultralight Woodcore
- Sintered Topsheet
- P-TEX 5920 Base

SITUATION



SKILL



Length	1.48m	1.50m	1.54m	1.58m	1.62m
Tip width	288mm	291mm	294mm	298mm	300mm
Waist	248mm	250mm	254mm	258mm	260mm
Tail width	288mm	291mm	294mm	298mm	300mm
Side cut range	7.5m	7.8m	8.2m	8.8m	9.2m
Recommended stance	520mm	540mm	540mm	540mm	540mm
Stance range	480-560mm	500-580mm	500-580mm	500-580mm	500-580mm
Rider weight	50-65kg	60-75kg	70-90kg	70-90kg	70-90kg
Insert	4 x 2 (10H)	4 x 2 (10H)	4 x 2 (10H)	4 x 2 (10H)	4 x 2 (10H)



About Customize Order


AMICSS は、1 枚ずつハンドメイドで製作されています。

その利点を生かし、スタンスホール、滑走面などの変更がオプション（有料）として用意されています。

AMICSS snowboard is handmade one by one.

Making use of the advantage, the changes such as stance holes and running base are prepared for as a paid option.

- スタンス幅変更
Change the stance width
例：48 cmが標準のモデルを 50 cmに変更したいなど
e.g.: Change from standard width to 50cm, etc.
対応モデル / Available models: RCV, DMT, DNA-ti, AGGRESSOR
- スタンスホール数変更
Change the stance hole quantity
片足標準で 8 ホールもしくは 10 ホールですが、片足 4～12 穴で選択
Available to change the quantity of 8 or 10 holes per one foot to 4 to 12 holes
対応モデル / Available models: RCV, DMT, DNA-ti, AGGRESSOR
- プレートホール増設
Adding plate holes
ALLFLEX, VIST などのプレートホール増設が可能
Available to add the plate holes of ALLFLEX, VIST, etc.
対応モデル / Available models: RCV, DMT
※2 種類のプレートホールを同時に増設は不可能
※NOT allowed to add 2 types of plate holes.
- 滑走面変更
Change the gliding base
WORLD CUP - FM シリーズに使用されている抜群の滑走性を誇る AMICSS BASE 8243 に滑走面を変更
Available to change the gliding base to AMICSS BASE 8243 which is proud of distinguished gliding performance used for WORLD CUP - FM.
対応モデル / Available models: DMT, DNA-ti, AGGRESSOR



AMICSS GOGGLE



Durable Silicone Lined Strap

Flexible frame (White/Flash pink, Black/AMICSS blue)

e-Magnetech

Lens (Polarized pink • Polarized blue)

Super soft face foam & Air ventilation

2025/2026 SNOWBOARD CATALOG

WWW.AMICSS.COM

AMICSS



ОЛИМПИЙСКИЙ КОМИТЕТ РОССИИ
ОЛИМПИЙСКИЙ КОМИТЕТ РОССИИ